Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-462-6198

Creas Sastianal Shana
Cross Sectional Shape:
Round Thread Direction:
Right-hand 1st end
Inside Diameter:
0.880 inches
Tempurature Rating:
-40.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response
Outside Diameter:
1.230 inches
Minimum Inside Bending Radius:
7.300 inches
End Application:
Used on spruance class dd (963)
Connection Style:
Nut assembly with gasket 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal hose 1st end
Burst Test Pressure:
180.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
1st layer braided textile yarn err-100
Unable To Decode:
Unable to decode or unable to decode
Maximum Operating Pressure:
90.0 pounds per square inch
Thread Size:
12.0 millimeters 1st end
Outer Covering Environmental Protection:
Hydraulic solution resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
58.000 inches excluding end fittings
Special Features:
Sonar dome residual water sweep hose assembly
Media For Which Designed:
Hydraulic fluid single response

Nonmetallic Hose Assembly - Page 2 of 2



Thread Series Designator:

Nps 1st end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0