Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-465-2296

Cross Sectional Shape:	
Round	
Thread Class:	
2b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.380 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit single res	ponse and 212.0 degrees fahrenheit single response
Outside Diameter:	
0.690 inches	
Minimum Inside Bending Radius	:
2.500 inches	
End Application:	
Fire fighting equipment	
Connection Style:	
Plain 2nd end	
End Connection Design:	
Straight 2nd end	
Connection Type:	
Threaded external hose 1st end	
Burst Test Pressure:	
20000.0 pounds per square inch	
Maximum Operating Pressure:	
5000.0 pounds per square inch	
Thread Size:	
0.562 inches 2nd end	
Flow Angle:	
90.0 degrees 1st end	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
20.000 inches	
Media For Which Designed:	
Hydraulic fluid, water base single	esponse
Supplementary Features:	
Nha p/n 9325-03-1010-01; vendor	fitting p/n 1aa6fjb6, style fjb, v endor fitting p/n 1aa6fj6, style fj; hose p/n gh781-6, cagec 01276, niin
01-384-6249	
Thread Series Designator:	
Unf 2nd end	
Shelf Life:	

N/a

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0