Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-465-2297

Cross Sectional Shape:
Round
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.380 inches
Tempurature Rating:
-40.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response
Outside Diameter:
0.690 inches
Minimum Inside Bending Radius:
2.500 inches
End Application:
Fire fighting equipment
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting steel all ends
Fitting Component And Surface Treatment:
Complete fitting zinc 1st end
Connection Type:
Threaded external hose 1st end
Thready Qty Per Inch (tpi):
18 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
20000.0 pounds per square inch
First End Swivel Action Capability:
Included
Maximum Operating Pressure:
5000.0 pounds per square inch
Thread Size:
0.562 inches 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
213.000 inches
Special Features:
Inner conveying tube material-rubber, synthetic

Nonmetallic Hose Assembly - Page 2 of 2



Media For Which Designed:

Hydraulic fluid, water base single response

## Supplementary Features:

Nha p/n 9325-03-1020-01; vendor fitting p/n 1aa6fj6, style fj, vendor fitting p/n 1aa6fj6, style fj; hose p/n gh781-6, cagec 01276, niin 01-384-6249

Thread Series Designator:

Un 1st end

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0