NSN 4720-01-465-2611

N/a

Nonmetallic Hose Assembly - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/4720-01-465-2611



Cross Sectional Shape: Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Tempurature Rating:** -40.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response **Outside Diameter:** 0.810 inches **Minimum Inside Bending Radius:** 3.500 inches **End Application:** Fire fighting equipment **Connection Style:** Nut assembly with gasket 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal hose 1st end **Burst Test Pressure:** 17000.0 pounds per square inch **Maximum Operating Pressure:** 4250.0 pounds per square inch **Thread Size:** 0.750 inches 2nd end Flow Angle: 90.0 degrees 2nd end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 29.500 inches Media For Which Designed: Hydraulic fluid, water base single response **Supplementary Features:** Nha p/n 9325-03-1010-01; vendor fitting p/n 1aa8fj8, style fj; vendor fitting p/n 1aa8fjb8, style fjb; hose p/n gh781-8 **Thread Series Designator:** Unf 2nd end Shelf Life:

NSN 4720-01-465-2611

Nonmetallic Hose Assembly - Page 2 of 2



| | 1 | :. | ~ | 84 | | | | |
|---|----|----|----|-----|----|----|------|---|
| ι | JN | IT | UΤ | IVI | ea | Sι | ire: | • |

--

Demilitarization:

No

Fiig:

A542a0