## NSN 4720-01-465-2618

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-465-2618 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.380 inches **Tempurature Rating:** -40.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response **Outside Diameter:** 0.690 inches **Minimum Inside Bending Radius:** 2.500 inches **End Application:** Fire fighting equipment **Connection Style:** Nut assembly with gasket 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal hose 1st end **Burst Test Pressure:** 

20000.0 pounds per square inch

**Maximum Operating Pressure:** 

5000.0 pounds per square inch

**Thread Size:** 

0.562 inches 2nd end

Flow Angle:

45.0 degrees 1st end

**Inside Surface Condition:** 

Smooth

**Measuring Method And Length:** 

14.000 inches

Media For Which Designed:

Hydraulic fluid, water base single response

**Supplementary Features:** 

Nha p/n 9325-03-1010-01; vendor fitting p/n 1aa6fja6, style fja, vendor fitting p/n 1aa6fj6, style fj; hose p/n gh781-6, cagec 01276, niin 01-384-6249

**Thread Series Designator:** 

Unf 2nd end

Shelf Life:

N/a

## NSN 4720-01-465-2618

Nonmetallic Hose Assembly - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A542a0