## NSN 4720-01-465-2623

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-465-2623

Cross Sectional Shape:
Round
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
-40.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response
Outside Diameter:
0.530 inches
Minimum Inside Bending Radius:
2.000 inches
End Application:
Fire fighting equipment
Connection Style:
Nut assembly with gasket 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal hose 1st end
Burst Test Pressure:
23000.0 pounds per square inch
Maximum Operating Pressure:
5750.0 pounds per square inch
Thread Size:
0.438 inches 1st end
Flow Angle:
37.0 degrees 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
13.000 inches
Media For Which Designed:
Hydraulic fluid, water base single response
Supplementary Features:
Nha p/n 9325-03-1010-01; vendor fitting p/n 1aa4fj4, style fj, vendor fitting p/n 1aa4fj4, style fjb; hose p/n gh781-4
Thread Series Designator:
Unf 2nd end
Shelf Life:
N/a

## NSN 4720-01-465-2623

Nonmetallic Hose Assembly - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

--

Demilitarization:

No

Fiig:

A542a0