## NSN 4720-01-465-3852

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-465-3852

Cross Sectional Shape:						
Round						
Thread Class:						
2b 1st end						
Thread Direction:						
Right-hand 1st end						
Inside Diameter:						
0.620 inches						
Tempurature Rating:						
-40.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response						
Outside Diameter:						
0.930 inches						
Minimum Inside Bending Radius:						
4.000 inches						
End Application:						
Fire fighting equipment						
Connection Style:						
Nut assembly with gasket 2nd end						
End Connection Design:						
Straight 2nd end						
Connection Type:						
Threaded internal hose 1st end						
Burst Test Pressure:						
14500.0 pounds per square inch						
Maximum Operating Pressure:						
3625.0 pounds per square inch						
Thread Size:						
0.875 inches 2nd end						
Flow Angle:						
45.0 degrees 1st end						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						
45.500 inches						
Media For Which Designed:						
Hydraulic fluid, water base single response						
Supplementary Features:						
Nha p/n 9325-03-1020-01; fitting p/ns 1aa10fja10, style fja, 1aa10fj10, fj; hose p/n gh781-10, cagec 01276						
Thread Series Designator:						
Unf 2nd end						
Shelf Life:						
N/a						

## NSN 4720-01-465-3852

Nonmetallic Hose Assembly - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A542a0