NSN 4720-01-465-3857

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-465-3857

Cross Sectional Shape:
Round
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.750 inches
Tempurature Rating:
-40.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response
Outside Diameter:
1.100 inches
Minimum Inside Bending Radius:
4.750 inches
End Application:
Fire fighting equipment
Connection Style:
Nut assembly with gasket 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal hose 1st end
Thready Qty Per Inch (tpi):
12 2nd end
Burst Test Pressure:
12500.0 pounds per square inch
Maximum Operating Pressure:
3125.0 pounds per square inch
Thread Size:
1.062 inches 2nd end
Flow Angle:
90.0 degrees 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
54.000 inches
Media For Which Designed:
Hydraulic fluid, water base single response
Supplementary Features:
Nha p/n 9325-03-1020-01; fitting p/ns 1aa12fjb12, style fjb, 1aa12fj12, fj; hose p/n gh781-12, cagec 01276
Thread Series Designator:
Un 2nd end

NSN 4720-01-465-3857

Nonmetallic Hose Assembly - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0