## NSN 4720-01-465-3876

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-465-3876 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.750 inches **Tempurature Rating:** -40.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response **Outside Diameter:** 0.930 inches **Minimum Inside Bending Radius:** 4.750 inches **End Application:** Fire fighting equipment **Connection Style:** Nut assembly with gasket 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal hose 1st end **Burst Test Pressure:** 14500.0 pounds per square inch **Maximum Operating Pressure:** 3125.0 pounds per square inch **Thread Size:** 0.875 inches 2nd end Flow Angle: 90.0 degrees 1st end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 64.750 inches Media For Which Designed: Hydraulic fluid, water base single response **Supplementary Features:** Nha p/n 9325-03-1020-01; fitting p/ns 1aa12fjb12, style fjb, 1aa12fj12, fj; hose p/n gh781-12, cagec 01276 **Thread Series Designator:** Unf 2nd end Shelf Life:

N/a

## NSN 4720-01-465-3876

Nonmetallic Hose Assembly - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A542a0