## NSN 4720-01-465-4353

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-465-4353

Cross Sectional Shape:
Round
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
-40.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response
Outside Diameter:
0.690 inches
Minimum Inside Bending Radius:
2.000 inches
End Application:
Fire fighting equipment
Connection Style:
Nut assembly with gasket 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal hose 1st end
Burst Test Pressure:
14500.0 pounds per square inch
Maximum Operating Pressure:
3625.0 pounds per square inch
Thread Size:
0.438 inches 1st end
Flow Angle:
37.0 degrees 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
190.000 inches
Media For Which Designed:
Hydraulic fluid, water base single response
Supplementary Features:
Nha p/n 9325-03-1020-01; fitting p/ns 1aa4fjb4, style fjb, 1aa4fj4, fj; hose p/n gh781-4, cagec 01276
Thread Series Designator:
Unf 2nd end
Shelf Life:
N/a

## NSN 4720-01-465-4353

Nonmetallic Hose Assembly - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A542a0