NSN 4720-01-465-5634

Cross Sectional Shape:

Round

Thread Class: 2a 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:
0.187 inches

Tempurature Rating:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-465-5634

-100.0 degrees fahrenheit single response and 500.0 degrees fahrenheit single response

Outside Diameter:
0.312 inches
Minimum Inside Bending Radius:
2.000 inches
End Application:
Used on fire fighting equipment
Connection Style:
Nut assembly with gasket 1st end
End Connection Design:
Straight 2nd end
End Fitting Component And Material:
Complete fitting stainless steel all ends
Connection Type:
Threaded internal hose 1st end
Second End Relationship With First End:
Identical
First End Swivel Action Capability:
Not included
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
3000.0 pounds per square inch
Thread Size:
0.4375 inches 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
50.000 inches
Second End Swivel Action Capability:
Not included
Special Features:
Inner conveying tube material-plastic, polytetrafluoroethylene

NSN 4720-01-465-5634

Nonmetallic Hose Assembly - Page 2 of 2



N	Λ	edia	For	Which	Design	ed

Brake fluid, nonmineral oil single response

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0