

View Online at <https://aerobasegroup.com/nsn/4720-01-466-0856>

Cross Sectional Shape:

Round

Thread Class:

2b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

1.000 inches

Temperature Rating:

-40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response

Outside Diameter:

1.500 inches

Minimum Inside Bending Radius:

12.000 inches

Exterior Color:

Blue

End Application:

FRON-TP-OWE-RUNI

Connection Style:

Swivel nut, gasket seal 2nd end

End Connection Design:

Straight 1st end

Connection Type:

Threaded internal tube 1st end

Thready Qty Per Inch (tpi):

12 2nd end

Burst Test Pressure:

4000.0 pounds per square inch

Layer Composition And Location:

1st layer rubber composition and 2nd layer braided steel wire and outer layer rubber composition

Maximum Operating Pressure:

1250.0 pounds per square inch

Thread Size:

1.437 inches 2nd end

Hydrostatic Test Pressure:

2000.0 pounds per square inch

Flow Angle:

90.0 degrees 2nd end

Outer Covering Environmental Protection:

Oil resistant and ozone resistant and cold resistant and water resistant

Inside Surface Condition:

Smooth

Measuring Method And Length:

40.000 inches excluding end fittings

Special Features:

This assembly consists of 3 nsn's, 4730-01-281-5875 fitting, 4730-01-281-5873 fitting, and 4720-01-373-1186 hose

Media For Which Designed:

Hydraulic fluid and fuel/oil, hydrocarbon and water single response

Thread Series Designator:

Un 2nd end

Specification Data:

Sae j516, fig22/25a for fittings professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0