## NSN 4720-01-470-2748

**Cross Sectional Shape:** 

Round

Thread Class: 2b 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:
1.250 inches

**Outside Diameter:** 

**Minimum Inside Bending Radius:** 

1.880 inches

3.500 inches

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-470-2748

Inner Conveying Tube Style:
Annular close-pitch corrugated
End Application:
4920-01-326-7353
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Identical ends
Thready Qty Per Inch (tpi):
12 1st end
Burst Test Pressure:
2200.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
550.0 pounds per square inch
Thread Size:
1.625 inches 1st end
Seat Angle:
37.0 degrees 1st end
Measuring Method And Length:
8.000 feet
Product Name:
Mss stainless steel annular corrugated hose
Special Features:
Butt welded stainless steel tube type 321; single braid and end fittings are stainless steel type 304

## NSN 4720-01-470-2748

Metallic Hose Assembly - Page 2 of 2



	••		•	_		
ı	hre	ลด	Seri	26 I I	PSIU	nator:
•		uu	CCII		COIG	mator.

Un 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0