NSN 4720-01-471-0569

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction: Right-hand 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-471-0569

Inside Diameter:			
0.313 inches			
Tempurature Rating:			
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response			
Outside Diameter:			
0.469 inches			
Minimum Inside Bending Radius:			
4.000 inches			
Angle Between Rigid Elbow Fittings In Deg:			
155.0			
Connection Style:			
Swivel nut flare 1st end			
End Connection Design:			
Elbow 1st end			
Connection Type:			
Threaded internal tube 1st end			
Thready Qty Per Inch (tpi):			
18 1st end			
Burst Test Pressure:			
9000.0 pounds per square inch			
Layer Composition And Location:			
Outer layer braided corrosion resistant steel wire			
Maximum Operating Pressure:			
1500.0 pounds per square inch			
Thread Size:			
0.562 inches 1st end			
Seat Angle:			
37.0 degrees 1st end			
Hydrostatic Test Pressure:			
3000.0 pounds per square inch			
Flow Angle:			
90.0 degrees 1st end			
Inside Surface Condition:			
Smooth			
Measuring Method And Length:			
44.000 inches working			

NSN 4720-01-471-0569

Nonmetallic Hose Assembly - Page 2 of 2



Thread	Series	Design	nator:
	0000	_00.9.	

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0