## NSN 4720-01-473-1463

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-473-1463

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
·
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response  Outside Diameter:
Between 0.351 inches and 0.397 inches
Minimum Inside Bending Radius:
3.000 inches
Hose Or Tubing Specification/std Data:
Sae j517, 100r14-81343 standard (includes industry or association standards, individual manufactureer standards, etc.). End Application:
4920-01-326-7353
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting stainless steel all ends
Complete numg stamless steel all ends  Connection Type:
Threaded external pipe 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
9000.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
Outer layer braided steel wire err-100
Maximum Operating Pressure:
3000.0 pounds per square inch
Thread Size:
0.250 inches 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
24.000 inches
Special Features:

End fitting material is type 304 stainless steel

## NSN 4720-01-473-1463

Nonmetallic Hose Assembly - Page 2 of 2



## Media For Which Designed:

Hydraulic fluid single response and hydraulic fluid, water base single response

**Thread Series Designator:** 

Npt 1st end

**Specification Data:** 

Sae j517, 100r14-81343 national std/spec

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A542a0