

View Online at <https://aerobasegroup.com/nsn/4720-01-475-4641>

Cross Sectional Shape:

Round

Thread Class:

2b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.312 inches

Temperature Rating:

-40.0 degrees fahrenheit single response and 300.0 degrees fahrenheit single response

Outside Diameter:

0.695 inches

Minimum Inside Bending Radius:

4.000 inches

Hose Or Tubing Specification/std Data:

Sae j517, 100r5 standard (includes industry or association standards, individual manufactureer standards, etc.).

End Application:

2320-01-371-9583; hmmmwv

Connection Style:

Swivel nut, inverted flare 2nd end

End Connection Design:

Straight 1st end

End Fitting Component And Material:

Complete fitting steel all ends

Fitting Component And Surface Treatment:

Complete fitting zinc 1st end

Connection Type:

Threaded internal tube 1st end

Features Provided:

Reusable end fittings

Second End Relationship With First End:

Not identical

Burst Test Pressure:

9000.0 pounds per square inch

First End Swivel Action Capability:

Not included

Layer Composition And Location:

Outer layer rubber impregnated braided cotton cord err-100

Maximum Operating Pressure:

2250.0 pounds per square inch

Thread Size:

0.562 inches 1st end

External Protection Type And Location (non-core):

chafe guard, plastic coil

Thread Pitch In Millimeters:

1.5000 2nd end

Seat Angle:

37.0 degrees 2nd end

Hydrostatic Test Pressure:

4500.0 pounds per square inch

Flow Angle:

45.0 degrees 2nd end

Outer Covering Environmental Protection:

Abrasion resistant

Inside Surface Condition:

Smooth

Measuring Method And Length:

47.000 inches excluding end fittings

Second End Swivel Action Capability:

Not included

Thread Tolerance Class:

6g external 2nd end

Product Name:

Hydraulic winch line

Special Features:

Outer covering convoluted nylon tubing p/n 01276-fc425-16; hose replacement nsn 4720-00-717-1621, p/n 01276-fc300-06; fitting replacement nsn 4730-01-012-5660, p/n 01276-411-6s

Media For Which Designed:

Fuel/oil, hydrocarbon single response and hydraulic fluid single response

Thread Series Designator:

Unf 1st end

Specification Data:

Sae j517, 100r5 national std/spec

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0