Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-477-9875

Cross Section	al Shape:
Round	
Thread Class:	
3a 1st end	
Thread Direct	on:
Right-hand 1st	end
Inside Diamet	er:
0.188 inches	
Tempurature I	Rating:
-65.0 degrees t	ahrenheit single response and 450.0 degrees fahrenheit single response
Outside Diam	eter:
0.250 inches	
Minimum Insie	de Bending Radius:
2.000 inches	
Connection St	yle:
Swivel nut flare	2nd end
End Connection	on Design:
Straight 1st en	t
Connection Ty	/pe:
Threaded inter	nal tube 1st end
Burst Test Pre	essure:
12000.0 pound	s per square inch
Maximum Ope	erating Pressure:
1500.0 pounds	per square inch
Thread Size:	
0.438 inches 1	st end
Seat Angle:	
37.0 degrees 2	nd end
Flow Angle:	
90.0 degrees 2	nd end
Inside Surface	Condition:
Smooth	
Measuring Me	thod And Length:
11.750 inches	working
Thread Series	Designator:
Unjf 1st end	
Shelf Life:	
N/a	
Unit Of Measu	re:
-	
Demilitarizatio	n:
No	

## NSN 4720-01-477-9875

Nonmetallic Hose Assembly - Page 2 of 2



**Fiig:** A542a0

Mil-std (military Standard):

Mil-h-25579 spec.