

View Online at <https://aerobasegroup.com/nsn/4720-01-481-7324>

Cross Sectional Shape:

Round

Thread Class:

2b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.250 inches

Temperature Rating:

-29.0 degrees fahrenheit single response and 257.0 degrees fahrenheit single response

Outside Diameter:

0.500 inches

Hose Or Tubing Specification/std Data:

Sae j30r7-81343 standard (includes industry or association standards, individual manufactureer standards, etc.).

End Application:

FAMI-LY-OFM-EDIU

Connection Style:

Swivel nut flare 1st end

End Connection Design:

Straight 1st end

End Fitting Component And Material:

Complete fitting steel all ends

Fitting Component And Surface Treatment:

Complete fitting cadmium 1st end

Connection Type:

Threaded internal tube 1st end

Second End Relationship With First End:

Identical

Burst Test Pressure:

250.0 pounds per square inch

First End Swivel Action Capability:

Not included

Layer Composition And Location:

Outer layer rubber impregnated fabric

Maximum Operating Pressure:

50.0 pounds per square inch

Thread Size:

0.250 inches 1st end

Seat Angle:

37.0 degrees 1st end

Inside Surface Condition:

Smooth

Measuring Method And Length:

26.000 inches excluding end fittings

Product Name:

Hose assembly, filter outlet

Special Features:

Assembly includes 2ea p/n 30682-4-4 or equal fitting; clamp 2ea p/n hc9-8 or equal; hose p/n 293-5 or equal (sae j30r7); fittings have 0.250 in barb to insert into hose

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Thread Series Designator:

Unf 1st end

Specification Data:

Sae j30r7-81343 national std/spec

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0