NSN 4720-01-482-3106

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-482-3106 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** Between 0.173 inches and 0.203 inches **Tempurature Rating:** -65.0 degrees fahrenheit and 450.0 degrees fahrenheit single response **Outside Diameter:** Between 0.304 inches and 0.343 inches **Minimum Inside Bending Radius:** 2.000 inches **Exterior Color:** Natural **End Application:** Various naval applications; hose assembly, tank drain **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 7000.0 pounds per square inch **Layer Composition And Location:** Outer layer braided steel wire **Maximum Operating Pressure:** 1500.0 pounds per square inch **Thread Size:** 0.438 inches 1st end Seat Angle: 45.0 degrees 1st end **Outer Covering Environmental Protection:** Heat resistant **Vacuum In Torr: Inside Surface Condition:**

28.0 Smooth **Measuring Method And Length:** 9.000 inches working

NSN 4720-01-482-3106

Nonmetallic Hose Assembly - Page 2 of 2



Thread Series Designator:	hread Se	ries D	esignator:
---------------------------	----------	--------	------------

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0