
Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-483-3529

-	
	oss Sectional Shape:
	und
	read Class:
	1st end
Thr	read Direction:
-	ht-hand 1st end
Ins	ide Diameter:
0.3	91 inches
Ter	npurature Rating:
-65	.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response
Ou	tside Diameter:
0.5	60 inches
Mir	nimum Inside Bending Radius:
2.8	80 inches
Co	nnection Style:
Sw	ivel nut, flareless 1st end
Ene	d Connection Design:
Stra	aight 1st end
Со	nnection Type:
Thr	eaded internal tube 1st end
Bu	rst Test Pressure:
105	500.0 pounds per square inch
Lay	ver Composition And Location:
Out	ter layer braided corrosion resistant steel wire
Ma	ximum Operating Pressure:
300	00.0 pounds per square inch
Thr	read Size:
0.7	50 inches 1st end
Sea	at Angle:
12.	0 degrees 1st end
Ну	drostatic Test Pressure:
600	00.0 pounds per square inch
Ins	ide Surface Condition:
Sm	ooth
Me	asuring Method And Length:
	875 inches
Thr	ead Series Designator:
	f 1st end
	elf Life:
N/a	
Uni	it Of Measure:

NSN 4720-01-483-3529

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

