Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-484-2749

Cross	Sectional Shape:
Round	1
Threa	d Class:
3a 1st	end
Threa	d Direction:
Right-	hand 1st end
Inside	Diameter:
0.875	inches
Temp	urature Rating:
-65.0 (	degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Outsi	de Diameter:
1.000	inches
Minim	um Inside Bending Radius:
7.375	inches
Conne	ection Style:
Swive	I nut flare 1st end
End C	connection Design:
Straig	ht 1st end
Conne	ection Type:
Threa	ded internal tube 1st end
Threa	dy Qty Per Inch (tpi):
12 1st	end
Burst	Test Pressure:
5000.0	) pounds per square inch
Maxin	num Operating Pressure:
1250.0	) pounds per square inch
Threa	d Size:
1.312	inches 1st end
Seat A	Angle:
37.0 d	egrees 1st end
Inside	Surface Condition:
Smoot	th
Measu	uring Method And Length:
11.000	Dinches
Threa	d Series Designator:
Unj 1s	at end
Shelf	Life:
N/a	
Unit C	Of Measure:
Demil	itarization:
No	

## NSN 4720-01-484-2749

Nonmetallic Hose Assembly - Page 2 of 2



**Fiig:** A542a0

Mil-std (military Standard):

Mil-h-25579 spec.