NSN 4720-01-495-0774

Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-495-0774

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.375 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 212.0 degrees fahrenheit single response
Outside Diameter:
0.713 inches
Minimum Inside Bending Radius:
5.000 inches
End Application:
Nsn2350-01-368-9500 - carrier, ammunition, tracked - field artillery ammunition support vehicle (faagv) (m992)
Connection Style:
Swivel nut, flared 2nd end
Connection Type:
Threaded internal tube 1st end
Layer Composition And Location:
1st layer braided wire and 2nd layer braided wire and outer layer molded rubber, synthetic
Maximum Operating Pressure:
2250.0 pounds per square inch
Thread Size:
0.375 inches 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
15.000 inches
Special Features:
Nha p/n 12463205 - used on m992a2
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A542a0