NSN 4720-01-502-0600

Cross Sectional Shape:

Thread Direction:

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-502-0600

Right-hand 1st end
Inside Diameter:
Between 0.485 inches and 0.515 inches
Tempurature Rating:
-67.0 degrees fahrenheit single response and 275.0 degrees fahrenheit single response
Outside Diameter:
Between 0.641 inches and 0.687 inches
Minimum Inside Bending Radius:
5.5000 inches
End Application:
F/a-18e, f
Connection Style:
Swivel nut flare 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Maximum Operating Pressure:
1500.0 pounds per square inch
Seat Angle:
37.0 degrees 2nd end
Hydrostatic Test Pressure:
3000.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
8.250 inches working
Special Features:
Fittings are a combination of aluminum and corrosion resistant steel
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Specification Or Standard:
J style and 2 class
Shelf Life:
N/a
Unit Of Measure:

NSN 4720-01-502-0600

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0