

View Online at <https://aerobasegroup.com/nsn/4720-01-506-9688>

Cross Sectional Shape:

Round

Thread Direction:

Right-hand 1st end

Inside Diameter:

1.500 inches

First End Fitting Specification/std Data:

Ww-c-624, type 3, class b, style 7or8 ww-c-624d specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Second End Fitting Specification/std Data:

Ww-c-624, type 3, class b, style 7or8 ww-c-624d specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Connection Style:

Swivel nut, gasket seal 1st end

End Connection Design:

Straight 2nd end

End Fitting Component And Material:

Complete fitting copper alloy all ends

Connection Type:

Threaded internal hose 1st end

Second End Relationship With First End:

Not identical

First End Swivel Action Capability:

Included

Layer Composition And Location:

1st layer rubber impregnated fabric err-100

Thread Size:

1.500 inches 2nd end

Inside Surface Condition:

Smooth

Measuring Method And Length:

150.000 inches excluding end fittings

Second End Swivel Action Capability:

Not included

Special Features:

Swivel female fitting has pin or rocker lug wrenching

Media For Which Designed:

Water single response

Thread Series Designator:

Npsh 2nd end

Specification Data:

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0