NSN 4720-01-508-3841

40.660 inches

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-508-3841

Cross Sectional Shape:
Round
Thread Class:
2a 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
Between 0.875 inches and 0.917 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
Between 1.203 inches and 1.262 inches
Minimum Inside Bending Radius:
7.380 inches
End Application:
Ship; eafw misc parts
Connection Style:
External seat for gasket seal (boss) 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded external boss 1st end
Thready Qty Per Inch (tpi):
12 1st end
Burst Test Pressure:
2000.0 pounds per square inch
Layer Composition And Location:
Outer layer molded rubber, synthetic and 1st layer braided polyester cord and 2nd layer braided polyester cord
Maximum Operating Pressure:
500.0 pounds per square inch
Thread Size:
2.000 inches 1st end
Hydrostatic Test Pressure:
1000.0 pounds per square inch
Outer Covering Environmental Protection:
Abrasion resistant and oxidation resistant and light resistant and weatherproof
Criticality Code Justification:
Feat
Inside Surface Condition:
Smooth
Measuring Method And Length:
40.000 '

NSN 4720-01-508-3841

Fiig: A542a0

Nonmetallic Hose Assembly - Page 2 of 2



Product Name:
Dogleg hose assembly
Special Features:
Weapon system essential; assebly has 90 degree elbow 20.33 inch from each end
Media For Which Designed:
Hydraulic fluid single response
Thread Series Designator:
Un 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No