Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-511-2672

Cross Sectional Shape:	
Round	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
Between 0.234 inches and 0.266 inches	
Tempurature Rating:	
-50.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response	
Outside Diameter:	
Between 0.469 inches and 0.531 inches	
Minimum Inside Bending Radius:	
2.250 inches	
End Application:	
2320-01-497-3435	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st end	
Thready Qty Per Inch (tpi):	
20 1st end	
Burst Test Pressure:	
1250.0 pounds per square inch	
Maximum Operating Pressure:	
300.0 pounds per square inch	
Thread Size:	
0.437 inches 1st end	
Hydrostatic Test Pressure:	
625.0 pounds per square inch	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
1111.6 millimeters and 1129.6 millimeters	
Outside Diameter Tube Accommodated:	
0.250 inches 1st end	
Product Name:	
Hose assembly, axle vent, nonmetallic	
Thread Series Designator:	
Unf 1st end	
Shelf Life:	
N/a	

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0