NSN 4720-01-511-2672

Cross Sectional Shape:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-511-2672

Cross Sectional Shape.
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
Between 0.234 inches and 0.266 inches
Tempurature Rating:
-50.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response
Outside Diameter:
Between 0.469 inches and 0.531 inches
Minimum Inside Bending Radius:
2.250 inches
End Application:
2320-01-497-3435
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
20 1st end
Burst Test Pressure:
1250.0 pounds per square inch
Maximum Operating Pressure:
300.0 pounds per square inch
Thread Size:
0.437 inches 1st end
Hydrostatic Test Pressure:
625.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
1111.6 millimeters and 1129.6 millimeters
Outside Diameter Tube Accommodated:
0.250 inches 1st end
Product Name:
Hose assembly, axle vent, nonmetallic
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a

NSN 4720-01-511-2672

Nonmetallic Hose Assembly - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A542a0