

View Online at <https://aerobasegroup.com/nsn/4720-01-513-3050>

Cross Sectional Shape:

Round

Temperature Rating:

-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Outside Diameter:

0.750 inches

End Application:

Misc parts list for ac - cw, flexible fittings, virginia class ssn

Bolt Hole Diameter:

1.500 inches 1st end

Raised Face Height:

0.620 inches 1st end

End Flange Construction:

Solid 1st end

End Connection Design:

Straight 1st end

Connection Type:

Raised face flange 1st end

Features Provided:

Reusable end fittings

Thready Qty Per Inch (tpi):

14 1st end

Burst Test Pressure:

2000.0 pounds per square inch

Layer Composition And Location:

1st layer braided polyester cord and outer layer wrapped rubber, synthetic

Maximum Operating Pressure:

500.0 pounds per square inch

Thread Size:

0.750 inches 1st end

Measuring Method And Length:

15.000 inches excluding end fittings

Flange Style:

Round w/ bolt holes 1st end

Inside Diameter Hose Accommodated:

0.896 inches 1st end

Product Name:

Flexible fittings, hose assembly, supply to hpac air cooler

Special Features:

End fitting has 4 bolt holes; o.D. Of hose is 1.234 in; assembly includes: 2 fittings, str end, hose x thd, -16 hose x 2.00 in-12un on nsn 4730-01-314-8819, 2 hoses, double poly braid, 0.880 i.D. X 1.230, 15 in long on nsn 4720-00-194-8911, 1 elbow, 90 deg, hose to hose (-16 hose) on nsn 4730-00-504-7509, 1 tag assembly, hose up to 4.00 in in diameter per cage 96169/2633-225-01, sheet 4-6

Media For Which Designed:

Water single response

Thread Series Designator:

Nps 1st end

Specification Data:

81349-mil-h-24136/3 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0