NSN 4720-01-513-7719

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-513-7719

Cross Sectional Shape:					
Round					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
0.750 inches					
End Application:					
Mts 626 and 635					
Connection Style:					
Swivel nut, gasket seal 1st end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded internal hose 1st end					
Thready Qty Per Inch (tpi):					
11-1/2 1st end					
Burst Test Pressure:					
600.0 pounds per square inch					
Layer Composition And Location:					
1st layer braided cotton cord and outer layer woven cotton cord					
Maximum Operating Pressure:					
150.0 pounds per square inch					
Thread Size:					
0.750 inches 1st end					
Hydrostatic Test Pressure:					
300.0 pounds per square inch					
Outer Covering Environmental Protection:					
Ozone resistant and weatherproof					
Criticality Code Justification:					
Feat					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
75.0 feet					
Product Name:					
Hose assembly					
Special Features:					
Weapons system essential; general service potable water					
Media For Which Designed:					
Water, drinking single response					
Thread Series Designator:					

Npsh 1st end

NSN 4720-01-513-7719

Nonmetallic Hose Assembly - Page 2 of 2



_				
c	hο	.1+		ife:
J	116		_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0