

View Online at <https://aerobasegroup.com/nsn/4720-01-513-7722>

Cross Sectional Shape:

Round

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.750 inches

End Application:

Mts 626 and 635

Connection Style:

Swivel nut, gasket seal 1st end

End Connection Design:

Straight 1st end

Connection Type:

Threaded internal hose 1st end

Thready Qty Per Inch (tpi):

11-1/2 1st end

Burst Test Pressure:

600.0 pounds per square inch

Layer Composition And Location:

1st layer braided cotton cord and outer layer woven cotton cord

Maximum Operating Pressure:

150.0 pounds per square inch

Thread Size:

0.750 inches 1st end

Hydrostatic Test Pressure:

300.0 pounds per square inch

Outer Covering Environmental Protection:

Ozone resistant and weatherproof

Criticality Code Justification:

Feat

Inside Surface Condition:

Smooth

Measuring Method And Length:

25.0 feet

Product Name:

Hose assembly

Special Features:

Weapons system essential; alternate source of sea water to sealol shaft seal

Media For Which Designed:

Water single response

Thread Series Designator:

Npsh 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0