NSN 4720-01-516-2380

Unf 1st end

Nonmetallic Hose Assembly - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/4720-01-516-2360
Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
1.000 inches
Tempurature Rating:
28.4 degrees fahrenheit and 95.0 degrees fahrenheit single response
Outside Diameter:
1.500 inches
Minimum Inside Bending Radius:
5.000 inches
End Application:
Starboard console
Connection Style:
Gasket seal / optional end 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal boss 1st end
Burst Test Pressure:
900.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
225.0 pounds per square inch
Thread Size:
1.500 inches 1st end
Hydrostatic Test Pressure:
450.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
29.625 inches
Special Features:
Hose material polytetrafluoroethylene, fitting material nichol-chromium-molbdenum iaw astm b466, n06625; fitting mates to cpv h849t-16,
has lockwire holes
Media For Which Designed:
Water, salt single response
Thread Series Designator:

NSN 4720-01-516-2380

Nonmetallic Hose Assembly - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0