NSN 4720-01-516-6566

Cross Sectional Shape:

Inside Diameter: 0.750 inches

Tempurature Rating:

Flange Thickness: 0.100 inches 1st end Outside Diameter:

1.300 inches

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-516-6566

-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Minimum Inside Bending Radius:
9.000 inches
Flange Outside Diameter:
1.200 inches 1st end
End Application:
Starboard console
Connection Style:
Plain 1st end
End Flange Construction:
Solid 1st end
End Connection Design:
Straight 1st end
Connection Type:
Plain face flange 1st end
Features Provided:
Nuts drilled for lockwire
Burst Test Pressure:
9000.0 pounds per square inch
Layer Composition And Location:
1st layer braided fiber and outer layer molded plastic
Maximum Operating Pressure:
2500.0 pounds per square inch
Outer Covering Environmental Protection:
Weatherproof
Inside Surface Condition:
Smooth
Measuring Method And Length:
29.000 inches working
Flange Style:
Round w/ out bolt holes 1st end
Special Features:
Weapon system essential; 1.25-12 unf 2b threads; seals to o'ring face seal union threadpiece

NSN 4720-01-516-6566

Nonmetallic Hose Assembly - Page 2 of 2



Media	For	Which	Design	ed:

Fuel/oil, hydrocarbon single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0