Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-521-9294

Cro	ss Sectional Shape:
Rou	
Thr	ead Class:
2a 1	1st end
Thr	ead Direction:
Rigl	ht-hand 1st end
-	de Diameter:
0.37	75 inches
Ten	npurature Rating:
-40.	0 degrees fahrenheit single response and 185.0 degrees fahrenheit single response
Out	side Diameter:
0.68	30 inches
Min	imum Inside Bending Radius:
2.50	00 inches
Cor	nnection Style:
Swi	vel nut, gasket seal 1st end
Enc	I Connection Design:
Stra	aight 1st end
Cor	nnection Type:
Thre	eaded internal tube 1st end
Thr	eady Qty Per Inch (tpi):
16 1	1st end
Bur	st Test Pressure:
120	00.0 pounds per square inch
Max	kimum Operating Pressure:
300	0.0 pounds per square inch
Thr	ead Size:
0.68	38 inches 1st end
Insi	de Surface Condition:
Smo	ooth
Mea	asuring Method And Length:
360	.000 inches working
Med	dia For Which Designed:
Hyd	Iraulic fluid single response
Thr	ead Series Designator:
Un	1st end
She	elf Life:
N/a	
Uni	t Of Measure:
Der	nilitarization:
No	

## NSN 4720-01-521-9294

Nonmetallic Hose Assembly - Page 2 of 2

**Fiig:** A542a0

