

View Online at <https://aerobasegroup.com/nsn/4720-01-524-3493>

**Cross Sectional Shape:**

Round

**Thread Direction:**

Right-hand 1st end

**Inside Diameter:**

0.500 inches

**Tempurature Rating:**

300.0 degrees fahrenheit single response

**Outside Diameter:**

0.823 inches

**End Application:**

ASSA-UL-TAM-PHIB

**Connection Style:**

Flare 1st end

**End Connection Design:**

Straight 1st end

**Connection Type:**

Threaded internal hose 1st end

**Features Provided:**

Reusable end fittings

**Burst Test Pressure:**

3500.0 pounds per square inch

**Layer Composition And Location:**

1st layer braided fabric and 2nd layer braided wire

**Maximum Operating Pressure:**

875.0 pounds per square inch

**Thread Size:**

0.875 inches 1st end

**Seat Angle:**

37.0 degrees 1st end

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

385.000 inches working

**Product Name:**

Hose assembly, nonmetallic; fuel and oil, medium pressure, flared tube

**Special Features:**

Nha 4720-01-482-9030; hose is oil resistant; 14 threads per inch

**Media For Which Designed:**

Fuel/oil, hydrocarbon single response

**Thread Series Designator:**

Unf 1st end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A542a0