NSN 4720-01-524-8113

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/psp/4720-01-524-9112

View Online at https://aerobasegroup.com/nsn/4720-01-524-8113
Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.220 inches
Tempurature Rating:
-54.0 degrees celsius and 204.0 degrees celsius single response
Outside Diameter:
0.370 inches
Minimum Inside Bending Radius:
1.500 inches
End Application:
CI-415 aircraft
Connection Style:
Swivel nut flare 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
20 2nd end
Burst Test Pressure:
16000.0 pounds per square inch
Maximum Operating Pressure:
3000.0 pounds per square inch
Thread Size:
0.438 inches 1st end
Seat Angle:
37.0 degrees 2nd end
Hydrostatic Test Pressure:
6000.0 pounds per square inch
Flow Angle:
45.0 degrees 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
30.000 inches working

Product Name:

Hose assembly, polytetrafluoroethylene, high pressure

NSN 4720-01-524-8113

Nonmetallic Hose Assembly - Page 2 of 2



Hydraulic fluid and fuel/oil, hydrocarbon single response

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0