## NSN 4720-01-525-9434

**Cross Sectional Shape:** 

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-525-9434

Thread Class:					
3b 1st end					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
0.391 inches					
Tempurature Rating:					
-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response					
Outside Diameter:					
0.500 inches					
Minimum Inside Bending Radius:					
2.880 inches					
Connection Style:					
Swivel nut, flareless 1st end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded internal tube 1st end					
Burst Test Pressure:					
14000.0 pounds per square inch					
Layer Composition And Location:					
Outer layer braided corrosion resistant steel wire					
Maximum Operating Pressure:					
3000.0 pounds per square inch					
Thread Size:					
0.750 inches 1st end					
Seat Angle:					
12.0 degrees 1st end					
Hydrostatic Test Pressure:					
6000.0 pounds per square inch					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
60.000 inches working					
Thread Series Designator:					
Unjf 1st end					
Specification Data:					
81343-as115 professional/industrial association standard					
Shelf Life:					

N/a

## NSN 4720-01-525-9434

Nonmetallic Hose Assembly - Page 2 of 2



	1		~	NA
u	JN	IT	Uī	Measure:

--

Demilitarization:

No

Fiig:

A542a0