NSN 4720-01-526-1860

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-526-1860

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.687 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 400.0 degrees fahrenheit single response
Minimum Inside Bending Radius:
7.750 inches
End Application:
B-2 aircraft
Connection Style:
Swivel nut, inverted flare 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Nuts drilled for lockwire
Thready Qty Per Inch (tpi):
18 2nd end
Burst Test Pressure:
16000.0 pounds per square inch
Maximum Operating Pressure:
4000.0 pounds per square inch
Thread Size:
1.000 inches 1st end
Seat Angle:
8.5 degrees 2nd end
Hydrostatic Test Pressure:
8000.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
Inside Surface Condition:
Smooth
Thread Series Designator:
Unj 2nd end
Shelf Life:

N/a

NSN 4720-01-526-1860

Nonmetallic Hose Assembly - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A542a0