Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-527-5094

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.191 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Outside Diameter:
0.310 inches
Minimum Inside Bending Radius:
2.000 inches
End Application:
Transall c160
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Burst Test Pressure:
12000.0 pounds per square inch
Maximum Operating Pressure:
1500.0 pounds per square inch
Thread Size:
10.0 millimeters 1st end
Thread Pitch In Millimeters:
1.000 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
11.625 inches working
Thread Tolerance Class:
6h external 1st end
Special Features:
Medium pressure hose assembly., straight to banjo adapter using 666 hose
Thread Series Designator:
Iso m 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Νο

NSN 4720-01-527-5094

Nonmetallic Hose Assembly - Page 2 of 2

Fiig: A542a0

