## NSN 4720-01-527-8695

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-527-8695

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.212 inches
Tempurature Rating:
204.0 degrees celsius single response
Outside Diameter:
0.490 inches
Minimum Inside Bending Radius:
1.500 inches
Exterior Color:
Black
End Application:
C-135 aircraft
Connection Style:
Swivel nut flare 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Burst Test Pressure:
16000.0 pounds per square inch
Layer Composition And Location:
1st layer braided corrosion resistant steel wire and outer layer spirally laid brass wire
Maximum Operating Pressure:
3000.0 pounds per square inch
Thread Size:
0.438 inches 1st end
Seat Angle:
37.0 degrees 2nd end
Hydrostatic Test Pressure:
6000.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
Outer Covering Environmental Protection:
Abrasion resistant
Inside Surface Condition:

Smooth

## NSN 4720-01-527-8695

Nonmetallic Hose Assembly - Page 2 of 2



## **Measuring Method And Length:**

11.500 inches working and 11.750 inches working

**Supplementary Features:** 

Integral braided polyester chafe guard

**Thread Series Designator:** 

Unjf 1st end

•

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A542a0