NSN 4720-01-529-3288

Cross Sectional Shape:

Round

Thread Class: 2a 1st end

Thread Direction: Right-hand 1st end Inside Diameter: 0.375 inches

Tempurature Rating:

Outside Diameter:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-529-3288

-70.0 degrees fahrenheit and 212.0 degrees fahrenheit single response

0.720 inches
Minimum Inside Bending Radius:
3.000 inches
Exterior Color:
Black
End Application:
Propulsion sectin
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded external tube 1st end
Thready Qty Per Inch (tpi):
16 1st end
Burst Test Pressure:
12000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided fiber and outer layer polyester
Maximum Operating Pressure:
3000.0 pounds per square inch
Thread Size:
0.688 inches 1st end
Criticality Code Justification:
Feat
Inside Surface Condition:
Smooth
Measuring Method And Length:
15.000 inches working
Special Features:
Weaponsystem essential; elastomeric core; clean and cap ends; attached marking plate

NSN 4720-01-529-3288

Nonmetallic Hose Assembly - Page 2 of 2



Media For Which Designed:

Air and hydraulic fluid single response

Thread Series Designator:

Un 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0