NSN 4720-01-529-3859



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-529-3859 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Tempurature Rating:** -70.0 degrees fahrenheit and 212.0 degrees fahrenheit single response **Outside Diameter:** 0.890 inches **Minimum Inside Bending Radius:** 3.500 inches **Exterior Color:** Black **End Application:** Propulsion section **Connection Style:** Swivel nut, gasket seal 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end Thready Qty Per Inch (tpi): 16 1st end **Burst Test Pressure:** 12000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided fiber and outer layer polyester **Maximum Operating Pressure:** 3000.0 pounds per square inch **Thread Size:** 0.812 inches 1st end

Flow Angle: 90.0 degrees 2nd end **Criticality Code Justification:** Feat **Inside Surface Condition:** Smooth **Measuring Method And Length:** 35.000 inches working

NSN 4720-01-529-3859

Nonmetallic Hose Assembly - Page 2 of 2



Special	Features:
----------------	-----------

Weaponsystem essential; elastomeric core; clean and cap ends; attached marking plate

Media For Which Designed:

Air and hydraulic fluid single response

Thread Series Designator:

Un 1st end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0