Nonmetallic Hose Assembly - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/4720-01-531-5725

С	ross Sectional Shape:
R	ound
T	hread Class:
38	a 1st end
T	hread Direction:
R	ight-hand 1st end
In	nside Diameter:
0.	188 inches
Т	empurature Rating:
-6	5.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
0	utside Diameter:
0.	.312 inches
Μ	linimum Inside Bending Radius:
2.	.000 inches
С	onnection Style:
S	wivel nut flare 2nd end
Ε	nd Connection Design:
S	traight 1st end
С	onnection Type:
T	hreaded internal tube 1st end
В	urst Test Pressure:
12	2000.0 pounds per square inch
Μ	laximum Operating Pressure:
1:	500.0 pounds per square inch
T	hread Size:
0.	.438 inches 1st end
S	eat Angle:
37	7.0 degrees 2nd end
F	low Angle:
4	5.0 degrees 2nd end
In	side Surface Condition:
S	mooth
Μ	leasuring Method And Length:
14	4.500 inches
Т	hread Series Designator:
U	njf 1st end
S	helf Life:
N	/a
U	nit Of Measure:
 D	emilitarization:
N	

NSN 4720-01-531-5725

Nonmetallic Hose Assembly - Page 2 of 2

Fiig: A542a0

