NSN 4720-01-534-0093

Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-534-0093

Cross Sectional Shape:
Round
Inside Diameter:
0.500 inches
Tempurature Rating:
-54.0 degrees celsius single response and 232.0 degrees celsius single response
Outside Diameter:
1.480 inches
Minimum Inside Bending Radius:
5.500 inches
Burst Test Pressure:
7000.0 pounds per square inch
Maximum Operating Pressure:
1500.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
8.750 inches
Special Features:
2 flared fittings - one straight and one 90 degrees angled; steel, corrosion resistant fitings; silicone firesleeve hose cover
2 flared fittings - one straight and one 90 degrees angled; steel, corrosion resistant fitings; silicone firesleeve hose cover Media For Which Designed:
Media For Which Designed:
Media For Which Designed: Fuel/oil, hydrocarbon single response and hydraulic fluid single response
Media For Which Designed: Fuel/oil, hydrocarbon single response and hydraulic fluid single response Shelf Life:
Media For Which Designed: Fuel/oil, hydrocarbon single response and hydraulic fluid single response Shelf Life: N/a
Media For Which Designed: Fuel/oil, hydrocarbon single response and hydraulic fluid single response Shelf Life: N/a
Media For Which Designed: Fuel/oil, hydrocarbon single response and hydraulic fluid single response Shelf Life: N/a Unit Of Measure:
Media For Which Designed: Fuel/oil, hydrocarbon single response and hydraulic fluid single response Shelf Life: N/a Unit Of Measure: Demilitarization:
Media For Which Designed: Fuel/oil, hydrocarbon single response and hydraulic fluid single response Shelf Life: N/a Unit Of Measure: Demilitarization: No
Media For Which Designed: Fuel/oil, hydrocarbon single response and hydraulic fluid single response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: