NSN 4720-01-534-8873

Cross Sectional Shape:

Round

Thread Class:

3b 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-534-8873

Thread Direction:						
Right-hand 1st end						
Inside Diameter:						
0.355 inches						
Tempurature Rating:						
-65.0 degrees fahrenheit single response and 275.0 degrees fahrenheit single response						
Outside Diameter:						
0.375 inches						
Minimum Inside Bending Radius:						
0.750 inches						
Exterior Color:						
Black						
End Application:						
C-17a aircraft						
Connection Style:						
Swivel nut flare 1st end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded internal tube 1st end						
Burst Test Pressure:						
1200.0 pounds per square inch						
Layer Composition And Location:						
Outer layer rubber impregnated polyamide fabric						
Maximum Operating Pressure:						
300.0 pounds per square inch						
Thread Size:						
0.562 inches 1st end						
Seat Angle:						
37.0 degrees 1st end						
Hydrostatic Test Pressure:						
600.0 pounds per square inch						
Inside Surface Condition:						
Convoluted						
Measuring Method And Length:						
7.500 inches working						
Product Name:						
Hose assembly nonmetallic-flared at general nurnose						

NSN 4720-01-534-8873

Nonmetallic Hose Assembly - Page 2 of 2



	••		•	_		
ı	hre	ลด	Seri	26 I I	PSIU	nator:
•		uu	CCII		COIG	mator.

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0