

View Online at <https://aerobasegroup.com/nsn/4720-01-535-0402>

Cross Sectional Shape:

Round

Thread Class:

3a 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.410 inches

Temperature Rating:

-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Outside Diameter:

0.770 inches

Minimum Inside Bending Radius:

4.620 inches

End Application:

Missile gas system

Connection Style:

Plain 1st end

End Connection Design:

Straight 1st end

Connection Type:

Threaded external tube 1st end

Thready Qty Per Inch (tpi):

12 1st end

Burst Test Pressure:

2500.0 pounds per square inch

Layer Composition And Location:

2nd layer braided synthetic cord and outer layer molded rubber, synthetic and 1st layer braided synthetic cord

Maximum Operating Pressure:

625.0 pounds per square inch

Thread Size:

1.188 inches 1st end

Criticality Code Justification:

Feat

Inside Surface Condition:

Smooth

Measuring Method And Length:

37.000 inches

Special Features:

Critical technology; fitting bronze with monel socket; union style with o'ring seal

Media For Which Designed:

Water, fresh and water, salt single response

Thread Series Designator:

Un 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0