Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-535-1786

Cross Sectional Shape:	Cross	Sectional	Shape:
------------------------	-------	-----------	--------

Round

**Thread Class:** 

3b 1st end

# Thread Direction:

Right-hand 1st end

# Inside Diameter:

0.355 inches

#### **Tempurature Rating:**

-65.0 degrees fahrenheit single response and 275.0 degrees fahrenheit single response

#### **Outside Diameter:**

0.375 inches

Minimum Inside Bending Radius:

#### 0.750 inches

**Exterior Color:** 

# Black

End Application:

C-17a aircraft

#### **Connection Style:**

Swivel nut flare 1st end

### End Connection Design:

Straight 1st end

### Connection Type:

Threaded internal tube 1st end

### **Burst Test Pressure:**

1200.0 pounds per square inch

### Layer Composition And Location:

Outer layer rubber impregnated polyamide fabric

### Maximum Operating Pressure:

300.0 pounds per square inch

#### Thread Size:

0.563 inches 1st end

### Seat Angle:

37.0 degrees 1st end

### Hydrostatic Test Pressure:

600.0 pounds per square inch

# Inside Surface Condition:

Convoluted

# Measuring Method And Length:

13.250 inches working

#### **Product Name:**

Hose assembly, nonmetallic-flared, al, general purpose

Nonmetallic Hose Assembly - Page 2 of 2

AeroBase Group

**Thread Series Designator:** 

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0