NSN 4720-01-539-5426

Cross Sectional Shape:

Round

Thread Class:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-539-5426

ZD 1St end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.750 inches
Tempurature Rating:
-60.0 degrees fahrenheit single response and 160.0 degrees fahrenheit single response
Outside Diameter:
1.120 inches
Minimum Inside Bending Radius:
9.500 inches
End Application:
Carrier, bridge launching
Connection Style:
Swivel nut, gasket seal 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal hose 1st end
Thready Qty Per Inch (tpi):
12 1st end
Burst Test Pressure:
16000.0 pounds per square inch
Maximum Operating Pressure:
27.6 pounds per square inch
Thread Size:
1.187 inches 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
147.000 inches working
Special Features:
Fittings are made type 304 corrosion resistant steel
Media For Which Designed:
Hydraulic fluid single response and hydraulic fluid, water base single response
Thread Series Designator:
Un 1st end
Shelf Life:
N/a

NSN 4720-01-539-5426

Nonmetallic Hose Assembly - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A542a0