

View Online at <https://aerobasegroup.com/nsn/4720-01-540-1387>

Pipe Size Accommodated:

0.250 inches 1st end

Cross Sectional Shape:

Round

Thread Class:

3a 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.421 inches

Temperature Rating:

-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Outside Diameter:

0.768 inches

Minimum Inside Bending Radius:

4.625 inches

End Application:

Ssgn fire fighting system

Connection Style:

External seat for gasket seal (boss) 1st end

End Connection Design:

Straight 1st end

Connection Type:

Threaded external boss 1st end

Thready Qty Per Inch (tpi):

12 1st end

Burst Test Pressure:

2500.0 pounds per square inch

Layer Composition And Location:

Outer layer molded rubber, synthetic and 1st layer braided polyester cord and 2nd layer braided polyester cord

Maximum Operating Pressure:

625.0 pounds per square inch

Thread Size:

1.188 inches 1st end

Criticality Code Justification:

Feat

Inside Surface Condition:

Smooth

Measuring Method And Length:

22.100 inches working

Special Features:

Military critical, export control; bronze/monel material; .25 inch nps union connection; oring cpv seal not included

Media For Which Designed:

Water and oil, lubricating, diester base and gas single response

Thread Series Designator:

Un 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0