Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-540-2459

Cross Sectional Shape:
Round
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
Between 0.485 inches and 0.531 inches
Tempurature Rating:
-40.0 degrees celsius single response and 100.0 degrees celsius single response
Minimum Inside Bending Radius:
7.000 inches
End Application:
ENDI-TE-MNS-N:54
Connection Style:
Swivel nut, gasket seal 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal hose 2nd end
Thready Qty Per Inch (tpi):
16 2nd end
Burst Test Pressure:
14000.0 pounds per square inch
Maximum Operating Pressure:
3500.0 pounds per square inch
Thread Size:
0.812 inches 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
34.000 inches working
Media For Which Designed:
Hydraulic fluid single response and hydraulic fluid, water base single response
Thread Series Designator:
Un 2nd end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

## NSN 4720-01-540-2459

Nonmetallic Hose Assembly - Page 2 of 2

**Fiig:** A542a0

