

View Online at <https://aerobasegroup.com/nsn/4720-01-540-4339>

Cross Sectional Shape:

Round

Thread Class:

2b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.250 inches

Temperature Rating:

-65.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Outside Diameter:

0.510 inches

Minimum Inside Bending Radius:

2.000 inches

End Application:

Mk74 vems ael

Connection Style:

Swivel nut flare 1st end

End Connection Design:

Straight 1st end

Connection Type:

Threaded internal tube 1st end

Burst Test Pressure:

20000.0 pounds per square inch

Layer Composition And Location:

1st layer braided synthetic cord and outer layer molded polyurethane

Maximum Operating Pressure:

5000.0 pounds per square inch

Thread Size:

0.438 inches 1st end

Seat Angle:

37.0 degrees 1st end

Inside Surface Condition:

Smooth

Measuring Method And Length:

145.750 inches excluding end fittings

Product Name:

Air pressure hose

Special Features:

Hyrel polyester tube, kevlar reinforcement, black perforated polyurethane cover; hose fittings swaged/crimped; hose ends identical except one includes steel swivel adaptor; length includes hose fittings less adaptor

Media For Which Designed:

Air and hydraulic fluid and oil, lubricating, diester base single response

Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0